

## Solid Plastic Sheets for Food & Beverage Packaging

CORBI offers a variety of solid plastic sheets for signage and packaging purposes. These multi-purpose sheets are:

- FDA grade material available
- Available in .025" through .180" material
- Available in many colors
- Non-toxic
- Fade resistant
- Easy to die-cut to any shape
- Moisture and mold resistant
- Screen print sheet available upon request
- Reusable
- Washable
- Available with radius corner cuts
- Available with Side Tabs
- Custom and Stock sheet sizes available

The experts at CORBI Plastics work with a wide variety of companies to meet their printing and packaging needs.

For more information, please contact us.

Sheet	Categories	Specifications	Tolerances
.025 in.	Gauge - inches	.025 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	118.5	+/- 8%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.030 in.	Gauge - inches	.030 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	142.5	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.035 in	Gauge - inches	.035 in.	+/- .002"

	Weight ñ Lbs./1000 sq.ft.	167.8	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.040 in.	Gauge - inches	.040 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	191.8	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.050 in.	Gauge - inches	.050 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	239.7	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.060 in.	Gauge - inches	.060 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	287.7	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.070 in.	Gauge - inches	.070 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	335.6	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8

	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.080 in.	Gauge - inches	.080 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	383.6	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.090 in.	Gauge - inches	.090 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	431.5	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.100 in.	Gauge - inches	.100 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	479.5	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.120 in.	Gauge - inches	.120 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	575.4	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.150 in.	Gauge - inches	.150 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	719.2	+/- 6.7%

	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8
.180 in.	Gauge - inches	.180 in.	+/- .002"
	Weight ñ Lbs./1000 sq.ft.	863.1	+/- 6.7%
	Cold Width Dimension		- 0 +1/8
	Cold Length Dimension		- 0 +1/8
	Sheet Lay flat		+/- 1/8
	Stack Lay flat		+/- 1/8
	Squareness		+/- 1/8